

PRODUCT-DETAILS

## NEAV0303 EX 45 ELBOW NC16 M16 BLK



NEAV0303
7TCA297120R0352
5011949239982
EX 45 ELBOW NC16 M16 BLK
Conduit Fitting, 45 Degree Elbow with External Male Thread, Conduit Size 16mm, M16 Thread, Minimum Bore 12mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black
For Indoor and Outdoor Applications
45 Degree Curved Conduit Fitting with Male Thread
-

© 2025 ABB. All rights reserved.

Subject to change without notice

Technical	
Number of Batteries	0
Color	Black
Material	Modified Nylon 12 with Nickel Plated Threads
Size	Conduit Size 16mm

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information		
Package Level 1 Units	10 EA	
Package Level 1 Height	200.66 mm 7.9 ir	
Package Level 1 Depth / Length	210.82 mm 8.3 ir	
Package Level 1 Width	302.26 mm 11.9 ir	

Certificates and Declarations	
Data Sheet, Technical Information	9AKK106930A7764
Instructions and Manuals	NEAV0303
Declaration of Conformity <u>- CE</u>	9AKK107680A0674

External Classifications and Standards	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

## Categories

Low Voltage Products and Systems  $\rightarrow$  Installation Products  $\rightarrow$  Cable Protection, Explosion Proof and Lighting  $\rightarrow$  Flexible Cable Protection Systems

NEAV0303

